


Rev	AMEND	DATE	CHECK	APPR.
P1	Proto	2018.02.23	H.I.Woo	H.Y.Sohn
P2	Changed LED Strip Input Voltage DC5V ---> DC12V	2018.02.27	H.I.Woo	H.Y.Sohn
P3	Changed LED Strip Type Reel Type ---> PCB Type	2018.04.13	H.I.Woo	H.Y.Sohn
P4	Changed I/O Port Name RGB Input ---> VGA Input	2019.05.28	H.I.Woo	H.Y.Sohn



LED Lighting Control Port Pin Map (w/o IC)

#1 : Red , #2 : Green , #3 : Blue
 #4 : VCC 12V , #5 : GND , #6 NC


Molex 43020-0600

		MODEL NO	150DLP2701		VIEW :			UNIT :	mm	
		NAME	27.0" Closed Frame		Qty	1		REV.	P4	
DRAWN	CHECKED	APPROVED	DWG. NO	4M2703037-03		SCALE	1 / 1		DATE	2019.05.28
H.I.Woo		H.Y.Sohn	MATERIAL / FINISH	EGI T=1.2						


Main Frame GI = 1.2T Black Coating
 Rear Cover GI = 1.0T Black Coating

Rev	AMEND	DATE	CHECK	APPR.
P1	Proto	2018.02.23	H.I.Woo	H.Y.Sohn
P2	Changed LED Strip Input Voltage DC5V ---> DC12V	2018.02.27	H.I.Woo	H.Y.Sohn
P3	Changed LED Strip Type Reel Type ----> PCB Type	2018.04.13	H.I.Woo	H.Y.Sohn
P4	Changed I/O Port Name RGB Input ----> VGA Input	2019.05.28	H.I.Woo	H.Y.Sohn

Front View



Rear View




- Black Masking : 2 time
 - Touch Align Mark : 1 time
27.0" LED-Halo Lighting Model Touch Glass Drawing

NOTES

- Type : GFF Type Capacitive Touch Panel
- Touch Performance : 10point , ϕ8
- Interface : USB
- Window Glass : Tempered Soda Lime 3T
- Window Decoration Color : Black Color Printing
Align Mark White color Printing
- Transmittance : 88% ±3%
- Surface Hardness : More than 6H
- Control Board : Silicon Works

STACK UP & MATERIAL

Description	Material	Thickness
Cover Window	Tempered Soda Lime	3000um
Top OCA		100um
Top Film	ITO Film	100um
MID OCA		100um
Bot Film	ITO Film	100um



		MODEL NO	150DLP2701		VIEW :			UNIT : mm
		NAME	27.0" Closed Frame		Qty	1		REV. P4
DRAWN	CHECKED	APPROVED	DWG. NO	4M2703037-03	SCALE	1 / 1		DATE
H.I.Woo		H.Y.Sohn	MATERIAL / FINISH	EGI T=1.2	DATE	2019.05.28		