



Rev	AMEND	DATE	CHECK	APPR.
P1	Proto	2019.03.26	H.I.Woo	H.Y.Sohn
P2	Changed Model Name INC-2703FHAZIPC-U ----> 150DLP2705	2019.04.02	H.I.Woo	H.Y.Sohn
P3	Changed I/O Port Name RGB Input ----> VGA Input	2019.05.28	H.I.Woo	H.Y.Sohn



**LED Lighting Control Port Pin Map (w/ IC)**

#1 : VCC 5V, #2 : CTL, #3 : GND  
 #4 : NC, #5 : NC, #6 : NC

Molex 43020-0600

169.9

320

169.9

12VDC Input

DVI-D Input

VGA Input

Touch

USB Port

LED Lighting Control Port

Main Frame GI = 1.2T Black Coating  
 Rear Cover GI = 1.0T Black Coating

Molex 43020-0600

150DLP2706

27.0" Closed Frame

4M2703041-02

GI T=1.2

1

1 / 1

2019.05.28

SUZOHAPP

H.I.Woo

H.Y.Sohn

VIEW: UNIT: mm

Q'ty 1 REV. P3

SCALE 1 / 1


DATE 2019.05.28

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

A B C D E F G H K

AT (340 X 394)

Rev	AMEND	DATE	CHECK	APPR.
P1	Proto	2019.03.26	H.I.Woo	H.Y.Sohn
P2	Changed Model Name INC-2703FHAZIPC-U ----> 150DLP2705	2019.04.02	H.I.Woo	H.Y.Sohn
P3	Changed I/O Port Name RGB Input ----> VGA Input	2019.05.28	H.I.Woo	H.Y.Sohn



- TOP VIEW (Touch Module) -

- RIGHT VIEW -

- BOTTOM VIEW -

- Black Masking : 2 time
- Touch Align Mark : White 1 time


## 27.0" Edge-Lit Model Touch Glass Drawing

### NOTES

- Type : GFF Type Capacitive Touch Panel
- Touch Performance : 10point , ϕ8
- Interface : USB
- Window Glass : Tempered Soda Lime 3T
- Window Decoration Color
  - Black Color Printing
  - Align Mark White Color Printing
- Transmittance : 88% ±3%
- Surface Hardness : More than 6H
- Control Board : Silicon Works

### STACK UP & MATERIAL

Description	Material	Thickness
Cover Window	Tempered Soda Lime	3000um
Top OCA	LCI, OC9102D	100um
Top Film	ITO Film	100um
MID OCA	LCI, OC9102D	100um
Bot Film	ITO Film	100um



		MODEL NO	150DLP2706	VIEW :		UNIT :	mm
		NAME	27.0" Closed Frame	Qty		1	REV.
DRAWN	CHECKED	APPROVED	DWG. NO	4M2703041-02	SCALE	1 / 1	
H.I.Woo		H.Y.Sohn	MATERIAL / FINISH	GI T=1.2	DATE	2019.05.28	