

Sports Betting · Cashless · Gaming

Global Reach, Local Availability, Quality Products.

SUZOHAPP serves bingo operators with a vast variety of aftermarket parts and solutions. As a parts expert, we help keep your revenue stream uninterrupted by providing high quality components for increased machine performance, upgrades, and easy-to-install 1:1 replacements. SUZOHAPP has maintained a long legacy of quality products and

high-level customer service. We take pride in our global network of vendors, suppliers, and partners. Together, we can source, distribute, and offer thousands of products in order to better serve our increasingly global customer-base. Make SUZOHAPP your first call and it will be the only call you'll need to make.







We commit to not just selling items to you, we commit to a relationship. We are more than just a ready supply of aftermarket parts and quick customization capabilities; we are a focused, knowledgeable partner in the gaming, amusement and sport betting industries eager to help your business succeed.

About US

SUZOHAPP is a world leader in the manufacturing and distribution of gaming, amusement, and sports betting products. Serving operators and OEMs for over 60 years, SUZOHAPP carries a vast portfolio of components available for immediate distribution and for developing custom built solutions. More information, along with a comprehensive online components catalogue, is available at www.suzohapp.com.




Index

			Note Validators NV9 Spectal NV10 USB+	
Coin C	Cups & Holders		Change Machines • Dual Change Cashless	
Cleani	ng		Note and Coin Counters & Sorters	
Stools • The Ca	rrillo		SC-8220K2SC-303ICX Active-9	
• T12 Flu	ng Jorescent Lamps		• SC-350 • SC-360	
WedgeWedge	Base LEDs 5mm Base Cluster LEDs 10mm Base Lamps 5mm Base Lamps 10mm		Cabinets SBT-1000 SBT-500 SBT-OTC	
Locks • Assa De • VENIA • STC	& Security esmo		Monitors • Elo Open-Frame Touch Monitors	

Ket-Bak

Thermal ATM Rolls



146-0169 White Thermal ATM Rolls 146-0168-1 Pink Thermal ATM Rolls 146-0168 Blue Thermal ATM Rolls

Tito Tickets



PART N.

TI00006 Tito Ticket TI00015 Tito Ticket TI00020 Tito Ticket

- ▶ Stacks of 600
- ▶ 100 per box 12000 (minimum 1 box)

CAN BE PERSONALISED!



Coloured Coin Bags

185-0800-02 Red 185-0800-05 Green

185-0800-04 Yellow 185-0800-06 Blue 185-0800-09 White

- ▶ 5 different colours for easy identification
- ► Size: 35x25mm

Coin Cups

PART N.

39-0540 Cupholder for 500cc cups x 500 39-0541 Cupholder for 300cc cups 39-0528 Good Luck Coin Cup x 500 39-0529 300cc Coin Cup x 1,000

- ▶ Made of strong, durable and resistant plastic
- ► Stack easily
- ➤ Available in 2 sizes: 300cc (100xh60 mm) and 500cc (115xh70 mm)











Aerosols / Ambersil

A dry graphite lubricant for long lasting, smooth lock operation. The microscopic grains of graphite ensure good penetration and effective anti-seize lubrication.



- ► Long lasting lubrication
- ▶ Dry film does not attract dirt and grime
- ► Excellent water resistance
- ▶ Wide operating temperature range
- ▶ Works even when lock has mild corrosion



Glass Cleaner

PART N. 20-0074



Label Remover

part n. 20-0078



Air Duster

PART N. 20-0077-2



Amberclens

PART N. 20-0070



Multi-surface Polish

PART N. 20-0083






Thermal Printer Cleaning Cards

PART N. 29-0005-00

- ▶ Improves print quality and legibility
- ► Protects your equipment increases printer life, reliability and performance
- ▶ Works on all thermal printers
- ▶ Use before inserting each roll of paper
- ► Safely removes all dirt, ink, tape, residue, adhesive and other contaminants from thermal print heads, paper guides and paper path
- ► Sold per piece



Note Acceptor Cleaning Cards

PART N. 29-0329-20

- ➤ Works in most bill validators; highest acceptance of any cleaning card
- ▶ Dramatically outperforms normal flat cleaning cards
- ► Incorporates flexible, raised platforms on the top and bottom surfaces
- ➤ Springs up into surface cavities to clean recessed sensors
- ► Cleans entire rounded surface of magnetic heads and optical lenses
- ► Ten times higher cleaning pressure, cleaning in both directions; alcohol-free
- ▶ Sold in box of 15 pieces

Alcohol Free Cleaning Card

PART N. 29-1167-00

- ► Protect your equipment
- ▶ Removes dirt, oil, and other contaminants from magnetic heads and photo and optic sensors
- ▶ Safe, easy and effective
- ▶ Will not harm rubber belts
- ▶ Will not fog up optic sensors
- ▶ Sold in boxes of 50



Card Reading Cleaning Cards

PART N. 29-0329-10

- ▶ Dramatically outperforms normal flat cleaning cards
- "Wave Waffletechnology" design to gently but firmly roll along the magnetic heads, cleans the leading, top, and trailing edge
- ▶ Reaches into the reader pathway where dirt builds up and migrates to the magnetic heads
- "Reinforcement Technology" designed o ensure stability of cleaning card
- ▶ 019 thick version; Color: white; alcohol
- ► Sold in box of 40 pieces



The Carrillo

PART N.

39-0084-1 *The Carrillo* 39-0084-1A *Bebe Carrillo*

- ► Eco leather fire-retardant (certificate 300,000 cycles wear resistance)
- ► Padded ergonomic polyurethane foam to varying hardness
- ▶ Structure in reinforced steel with welding anti-break
- ► Finished chromium (three chromium)
- ➤ Available in height 73cm for high cabinet or 55cm ideal for slant top
- ► Exceeded the following tests and certifications: durability test seat and back - drop test - footrest fatigue resistance to fatigue armrest - stability test
- ▶ Personalized artwork available



AVAILABLE IN TWO SIZES





Fluorescent Lamps

- ▶ 70% of all artificial light in the world is generated by fluorescent lamps
- ► A fluorescent lamp consumes only about one fifth of the electricity used by an ordinary light bulb
- ► OSRAM, PHILIPS and SYLVANIA are the three largest manufacturers of lighting components in the world
- ► Colour cool white
- Average life time of the fluorescent tubes is 12000 hours

PART N.	DESCRIPTION	WATT	LENGHT	PACKING
F4T5CW	Lamp T5	4W	6"- 15cm	25
F6T5CW	Lamp T5	6W	9"- 23cm	25
F8T5CW	Lamp T5	8W	12"- 30cm	25
F13T5CW	Lamp T5	13W	21"- 53cm	25
F10T8CW	Lamp T8	10W	13"- 33cm	50
F14T8CW	Lamp T8	14W	15"- 38cm	25
F15T8CW	Lamp T8	15W	18"- 46cm	25
F16T8CW	Lamp T8	16W	29"- 73.5cm	25
F18T8-133ST	Lamp T8	18W	24"- 61cm	24
F18T8K24CW	Lamp T8	18W	24"- 61cm	25
F18T8K26CW	Lamp T8	18W	26"- 66cm	24
F18T8K28CW	Lamp T8	18W	28"- 71cm	24
F18T8K30CW	Lamp T8	18W	30"- 76cm	24
F30T8CW	Lamp T8	30W	36"- 91.5cm	25
F36-133ST	Lamp T8	36W	48"- 120cm	25
F20T12CW	Lamp T12	20W	24"- 61cm	25
F25T12-28CW	Lamp T12	25W	28"- 71cm	30
F25T12-30CW	Lamp T12	25W	30"- 76cm	30
F25T12-33CW	Lamp T12	25W	33"- 84cm	30

Fluorescent tubes are only sold per box!





Wedge Base LEDs 5mm

PART N.

161-205052 5mm 5V Red161-212055 5mm 12V Green161-205054 5mm 5V Yellow161-212059 5mm 12V White161-205055 5mm 5V Green161-224052 5mm 24V Red161-205056 5mm 5V Blue161-224054 5mm 24V Yellow161-205059 5mm 5V White161-224055 5mm 24V Green161-212052 5mm 12V Red161-224056 5mm 24V Blue161-212054 5mm 12V Yellow161-224059 5mm 24V White

- ► LEDs of 5mm T 1-1/2
- ► Available in 5 12 and 24V
- ▶ Wide viewing angle
- ▶ Available in 5 colours: Red, Yellow, Green, Blue and White
- ▶ White LEDs colour sorted per box



Wedge Base Lamps 5mm

- ► 5mm T-1-1/2
- ▶ Available in Red, Yellow, Green and Blue

PART N.	VOLT	AMP	LIFE	PACKING
LAM-2305	6	0.16	2500	100
LAM-2306	6	0.03	3000	100
LAM-286	12	0.10	1000	100
LAM-2321	12	0.08	5000	100
LAM-1179	12	0.11	15.000	100
LAM-2391	14	0.22	500	25
LAM-2341	24	0.03	5000	100

Wedge Base Cluster LEDs 10mm

PART N

161-205103-2 5V 10mm Red 161-205103-4 5V 10mm Yellow 161-205103-5 5V 10mm Green 161-205103-6 5V 10mm Blue 161-205103-9 5V 10mm White 161-212103-2 12V 10mm Red 161-212103-4 12V 10mm Yellow 161-212103-5 12V 10mm Green 161-212103-6 12V 10mm Blue 161-212103-9 12V 10mm White 161-224103-2 24V 10mm Red 161-224103-4 24V 10mm Yellow 161-224103-5 24V 10mm Green 161-224103-6 24V 10mm Blue 161-224103-9 24V 10mm White



- ▶ Cluster of 3 LEDs in 10mm housing
- ► Available in 5 12 and 24V
- ▶ Wide viewing angle
- ▶ Available in 5 colours: Red, Yellow, Green, Blue and White
- ▶ White LEDs colour sorted per box

Wedge Base Lamps 10mm

- ▶ 10mm T-3-1/4
- Available in Red, Yellow, Green and Blue

PART N.	VOLT	AMP	LIFE	PACKING
LAM-2501	6	0.33	7000	100
LAM-159	6.3	0.15	10000	100
LAM-259	6.3	0.25	10000	100
LAM-1112	12	0.10	5000	100
LAM-2521	12	0.18	3000	100
LAM-512	12	0.22	1000	100
LAM-161	14	0.19	1500	100
LAM-2541	24	0.08	5000	100
LAM-656	28	0.06	5000	100







ASSA* Desmo Casino Locks

D1118KD

Lock 28.5" 1-1/8" keyed-different

D1078KD

Lock 22.3" 7/8" keyed-different D2058KD

Lock AD390 keyed-different





Keyed-Different Locks

X1118KD

Lock 28.6mm 1-1/8" keyed-different

X1078KD

Lock 22.3mm 7/8" keyed-different

X1058KD

Lock 16mm 5/8" keyed-different





V1118KD

Lock 28.6mm 1-1/8" keyed-different

V1078KD

Lock 22.3mm 7/8" keyed-different

V1058KD

Lock 16mm 5/8" keyed-different



E-PRL

Electronic Reprogrammable Lock

EPRL05A10-001

Lock E-PRL reprogrammable

EPRL02A11-001

Lock E-PRL 23mm

Available with Bluetooth





Round Key Locks

S1118KD

Lock 28.6mm 1-1/8" keyed-different

S1078KD

Lock 22.3mm 7/8" keyed-different

S1058KD

Lock 16mm 5/8" keyed-different



GEMATIC Locks

F1058

Lock 16mm - 5/8" keyed-alike

F1078

Lock 22.3mm - 7/8" keyed-alike

F1118

Lock 28.6mm - 1-1/8" keyed-alike

Also available as Standard Switchlock, 36.4mm - 1-7/16"





Key-Bak Super 48 Key Reel

PART N.

30-0101-01 Super 48 Key Reel with Kevlar Cable

- ▶ Polycarbonate high strength case
- ▶ Dust shield keeps interior clean
- ► Kevlar cable is stronger but lighter than chain and is smooth in action
- ► Clip/Loop attachment allows dual functionality
- ► Clip design similar to pistol holsters; meets penal "anti-snatch" rules
- ▶ Carries up to 5 times the weight of other retractors
- ▶ Oversize split ring is standard for larger load
- ▶ Corrosion proof for long service life



PART N.

30-0101-05 "Spinner" Key Reel with 48" Cable

- ➤ Can be extended at any angle a full 360-degree spin with virtually no wear on the chain or cable
- ► "Spinner" can be removed from its base and used simply as a key holder
- ► Clip-On style
- ▶ Available with 24" chain or 48" cable
- ▶ Color: attractive black metal case





Key-Bak "Spinner" Key Reel

PART N

30-1951-00 Clip on Style with Chain

- ▶ Clips-On style or belt loop style
- ▶ Chrome case
- ▶ 24" stainless steel chain
- ▶ Swivels to prevent chain twisting

Key-Bak Super 48 Le For Security Professionals

PART

30-0101-03 Key-Bak Super 48 LE with Stainless Steel Cable

30-0101-08 Key-Bak Super 48 LE with Kevlar Cable

- ► For uniformed law enforcement professionals such as Sheriffs and Police
- ► Leather belt loop on back fits a standard 2.75" wide Sam Browne duty belt
- ► Polycarbonate high strength case
- ▶ Dust shield keeps interior clean and prolongs service life
- ► Extension member of stainless steel cable with tough nylon jacket or Kevlar cable available
- ► Loop design meets penal "anti-snatch" rules
- ► Carries up to 5 times the weight of other retractors
- Oversize split ring is standard for larger load
- Corrosion proof for long service life







NV9 Spectral



- Unrivalled genuine note detection & protection against fraudulent notes
- Outstanding fraud protection
- Stained note detection
- ► Full note high resolution imaging 1.28 million data points
- ► Faster note to note processing
- Optical and mechanical anti-strimming technology
- ► Easy maintenance, free firmware updates
- ► Modular design recycler or ticket printer available
- ▶ Various cashbox and bezel options

NV10 USB+



- ▶ One build standard for global applications
- ► Lowest cost of ownership
- ► Enhanced sensing technology
- ▶ Proven field reliability
- ► Compact stackerless design
- Over 100 different world currencies accepted
- ► Simple integration
- ► Future proof quick & easy updates via USB, PC, or handheld programmer

Dual Change Cashless



- ► Notes and coins dispensed automatically or manually
- ► Machine cloning function
- ► Export accounting data and import configuration parameters via 32-bit CPU with SD-Card
- ▶ Internal on/off controls to prevent tampering
- ► Pivoting door to facilitate dispenser-loading and cash box removal operations
- ► Installation: wall mounted, countertop and free standing on a cabinet base



SC-8220

Multi Currency Counter & Sorter

PART N.

158-SC8220-000



Free count mode for notes and tickets



Single denomination counting and sorting



Detect counterfeits



€/£/\$ Easy flex between different currencies





Emission counting



Value counting



Multi currency mode



No need for banknote verifiers



Easy to update



Serial number reading







K2

Currency Sorter

PART N. 1405-K2

- ► Speed up to 1000 notes/min value counting
- ▶ More than 60 different currencies available
- ▶ Multi language: English, German, French, Italian, Spanish, Portuguese, Greek
- ► Currency auto detect
- Non-stop processing: any suspect or unrecognised notes are off-sorted to a reject pocket without interrupting the processing flow
- ▶ Equipped with the latest sensor technology: MG, UV, IR and image detection
- User levels password protection
- ▶ Service-friendly modular design, it is easy to replace parts and carry out daily maintenance
- Quick and easy updates through the USB port
- ▶ Works seamlessly with the unique monitoring software solution, and the Cash Center processing solution







SC-303

Long-lasting Coin Counter

PART N. 012461-004

- ▶ Speed up to 2,700 coins/min.
- ▶ Universal counting, bagging and tubing
- ► Electronic sensing technology to assures high accuracy in identifying foreign, damaged or counterfeit coins
- ► Automatic reverse function to remove jammed coins
- ► Automatic stop and out sort function for small coins
- ▶ Pre-selectable bag stops
- ▶ Easy to read LED display

► Handled for Easy Transportation





ICX Active-9

Mid-range Active Coin Sorter

PART N.

5004809-GB0 GBP Currency

5004809-EU0 EUR Currency

- ► Superior coin identification
- ► Active Sorting® technology
- ► Intelligent coin processing
- ► Flexible batch-stops
- ▶ Data loss prevention
- ► Vast data connectivity
- ► Advanced jam-prevention technology
- ▶ Non-stop processing
- ▶ Future-oriented
- ► Service friendly
- Custom variables and input fields
- ▶ 9 Coin Outlets plus 1 for Rejection
- ▶ 10" Touchscreen User Interface
- ▶ 3 USB for Accessories or Peripherals



SC-350

Heavy Duty Coin Counter

PART N. 019350-004

- ▶ Speed up to 3,000 coins/min.
- ► Manual hopper
- ► A non-volatile memory to storage of data on counted coins
- ► Electronic sensing technology to assure high accuracy and low noise
- ► Automatic reverse function to remove jammed coins
- ► Automatic stop and out sort function for small coins
- ➤ Accessories and 7 pre-programmable quantity stops (plus 1 continuous) to make it highly effective filling machine
- ▶ Serial interface to monitor and control from a PC





SC-360

Heavy Duty Coin Counter

PART N. 019360-004

- ▶ Speed up to 3,000 coins/min.
- ▶ Larger and automatic hopper with filling
- ► A non-volatile memory to storage of data on counted coins
- ► Electronic sensing technology to assure high accuracy and low noise
- Automatic reverse function to remove jammed coins
- ► Automatic stop and out sort function for small coins
- ► Accessories and 7 pre-programmable quantity stops (plus 1 continuous) to make it highly effective filling machine
- ▶ Serial interface to monitor and control from a PC







SBT-1000

Sport Betting Terminal

High Performance / High Quality Components

- ► Intel 4-Core i3-8100T, 8GB RAM, 128GB SSD (expandable to 64GB/256GB)
- ▶ Dual Elo Touch 21.5" PCAP LCDs
- Choice of Printer:
- CUSTOM MODUS 3 thermal roll printer w/ cutter, anti-jam technology
- TransAct Epic Edge TITO printer

- Choice of Bill Validators:
- JCM UBA PRO (500 note cashbox)
- MEI SC Advance (SCNxx 600 note cashbox)
- ITL NV200 Spectral (500 note cashbox)
- Newland FM430 scanner
- ▶ Optional RM5 HD Coin Acceptor
- ▶ Optional Magtek MT-215 Insertion Card Reader

Features

- RGB LEDs- 7 colors selectable through switches
- Super-durable baked-on powder coatings
- Custom colors/backlighted logo
- Soft power up/down key switch
- Software-accessible low paper sensor
- Printer and peripheral power-saving features
- Universal power supply, localized power cable
- UL, CE, international EMC and safety certifications
- GLI-20 certified cabinet, designed to pass GLI-33 with platform software
- 3-year global warranty on the computer and displays

Security with Keyed-Different Access Levels

- Printer paper door sensor
- Note/coin unjamming door sensor
- Cashbox door sensor
- Additional cashbox security strap
- Computer access door sensor
- Soft power on/off keyed-switch
- Service mode keyed-switch

Design and Production Quality

- Welded seams
- Quality harnessing
- ISO 9001, UL-Certified production sites



Other peripherals and customization options are all possible



SBT-500

Cashless Sport Betting Terminal

High Performance / High Quality Components

- Intel's 8th gen processor, 4-Core i3-8100T, 8GB RAM, 128GB SSD (expandable to 64GB/256GB)
- ▶ Elo Touch 15.6" widescreen PCAP LCD
- ► CUSTOM MODUS 3 80mm thermal roll printer w/ cutter, anti-jam technology
- ▶ Newland FM3080 scanner for phone or ticket
- ▶ Optional Magtek 3-Stripe MSR



- Software-controllable full spectrum RGB LEDs
- Software-accessible low paper sensor
- Keyed-different printer and computer door locks with sensors
- Service mode key switch
- Soft power up/down key switch
- Customizable colors/logos, super-durable baked-on powder coatings

- Secure table mounting cables exit through rear or base
- Printer and peripheral power-saving features
- Universal power supply, localized power cable
- International EMC and safety certifications
- Designed to pass GLI-33 with platform software
- 3 year global warranty on the computer and display




Security with Keyed-Different Access Levels

- Printer paper door sensor
- Computer access door sensor
- Soft power on/off keyed-switch
- Service mode keyed-switch

Design and Production Quality

- Welded seams
- Quality harnessing
- Fingerprint-resistant chrome and paint
- Durable steel alloy internal locking mechanisms
- ISO 9001, UL-Certified production sites









SBT-OTC

Over-the-Counter Sports Betting Terminal

High Performance / High Quality Components

For your more traditional customer, or in an area where you need controlled betting, allow your cashier to manage all the bets. The SUZOHAPP OTC offering is modern and modular, utilizing the same core component engines as SUZOHAPP's kiosk SBTs to ease the software development, performance, and certification across form factors.

Standard Configuration and Accessories

Consists of an Intel i3 processor, 15" display, and optional 10" customer facing display via a single cable USB-C connection. The I/O hub includes 7 USB ports (including powered USB), 2 serial ports, and a cash drawer port. Additionally up to 4 integrated peripherals can be added to the display edges (i.e. MSR, EMV cradle, webcam, fingerprint scanner, status light).

Flexibility / Options

Options include choice of processor (Celeron, i3, i5) with RAM and storage expansion, main display size (15", 15" wide, 17", 21.5"), secondary display (10.1" or 13.3" with or without touch), in countertop or wall mount configuration. Other printers and scanners when required.

- ▶ Intel 4-Core i3, 8GB RAM (up to 64GB), 128GB SSD
- ▶ 15" PCAP touchmonitor
- CUSTOM P3 thermal roll printer w/ cutter
- Newland HR3280 scanner
- ▶ 3-year global warranty on the computer, 5 years on the scanner
- Global certifications



Different Form Factors Available with Ease of Integration

- Same computer platform for front and back of house units allows for a seamless experience
- Same manufacturer of displays, scanners, and printers



Shown with optional 13.3" customer display and MSR

Elo Touch Solutions Distributed globally by SUZOHAPP

World-Class Quality, Global Approvals and Support

Elo is the world leader in commercial touch with over 20 million installations, half a million units per year, nearly 2,000 units per day. And SUZOHAPP is the world's largest distributor of this premium open frame product line.

Engineered and designed specifically for the demanding requirements of the gaming industry, the 90-Series open-frame displays feature integrated touch technology rather than glued-on additions. Select from a wide range of sizes from 10" to 27" to fit in any gaming environment. Elo products extend the range to 70".

- ► Next generation Projected Capacitive (PCAP) 2GS technology (2 glass solution)
- ► Highest optical quality and longevity as no plastic films, no metal mesh
- ▶ 10-touch true-flat solution
- ► Thru-glass mode which operates through up to 6 mm customer-supplied glass
- ► Common mechanical and electrical components across the line for easy design-in, compliance testing, service, and transition between sizes
- ► HDMI, DisplayPort, VGA inputs, with common port design across all units

- ▶ Built-in watertight edge seal
- Magnetic tethered OSD control box
- ▶ Unique field-replaceable touchscreen glass design
- ► Global agency approvals: United States UL, FCC; Europe CE TÜV; Australia RCM; Canada cUL, IC; China CCC; Japan VCCI; Korea KCC; Mexico CoC; Taiwan BSMI; International CB; RoHS
- ▶ Passes UL and IK07 Ball Drop tests
- ▶ 50,000 hour demonstrated MTBF
- ▶ 3-year standard global warranty





10" to 27" Desktop Touchmonitors, All-in-Ones and Interactive Digital Signage from 10" to 70"

SUZOHAPP also distributes the complete line of Elo Touch Solution products — seen in cashier cages, sports betting outlets, and on the gaming floors in top casinos around the world. Monitors and All-in-Ones for front/back office, interactive digital signage, bingo, lottery, sports betting, player tracking, loyalty systems and pos.





SUZOHAPP UK Ltd

Unit D2 Longmead Business Park, Felstead Rd, Epsom, Surrey - KT19 9QG, United Kingdom Phone: (+44) 208 391 7700 sales.uk@suzohapp.com

© 2025 SUZOHAPP All rights reserved. Specifications subject to change.

Trademarks owned by their respective holders.

No part of this catalogue may be reproduced in any form by print, photoprint or any other means, without written permission from the publisher. Technical data, text and pictures are subject to error and modifications. The catalogue can be subject to further developments.